

Link to the product: <https://stair-lighting.com/controller-remote-controller-rgb-milight-fut025-p-1706.html>



Controller + remote controller RGB - MiLight - FUT025

Price	23.03 Euro
Availability	Available
Shipping time	4 days
Number	1706
Manufacturer	Mi.Light

Product description

Set of products which are necessary in each building using smart lighting. Convince yourself that thanks you manage to get the best professional light effect and only using one handy device.

The kit consists of a comfortable, small remote control, so that using only one finger can set multiple parameters. With it, you set the color of the light, not only whites but also the color emitted by the bulbs or LED strip. How magically conjure up in the interior mood perfectly suits your needs. The remote control allows, for example, in a touchscreen to select the most appropriate color to accentuate the interior design.

The controller directs all commands made available by remote control. With only buy a WiFi adapter and installing a special application on the phone with the Android operating system or iOS, you can also using this device to control the lighting in the room. Additionally, use the memory of the last setting. It's very convenient if you have decided on the most suitable parameters for each other.

The controller is really small, and at the same handy. Not striking and allows for discrete change of lighting. Knocks on the full range of dimming in the range of 1 to 100%. Its compatibility with other drivers and power supplies allows you to develop enough power to the entire lighting system that functioned flawlessly. Definitely on this set Milight is a guarantee of use for many years.

Technical Parameters Controller

- The frequency of communication with the controller: 2.4 Ghz !!!
- Supports Wi-Fi: Yes - if you only buy WIFI adapter *
- Control the phone / Smartphone'm - Tablet: YES - if you only buy WIFI adapter * and uploading the appropriate application on Android or iOS (Apple) **
- Memory of the last program / setting: YES
- Operating temperature: -20 to 60 ° C
- Input voltage: DC 12-24V
- Maximum output current: 18A (6A per channel color)
- Power output: 216 W max
- DC Power Type: Socket Connector twisted or 5,5x2,1 mm
- Operating Humidity: 30% - 85%
- Connection to strip RGB: by 4-wire cable - twisted ankle
- Controller Dimensions: 86x46x23 mm (D, S, W)
- Controller Weight: approx. 45g
- Power consumption vigil controller: <1W
- Connection to strip RGB: 4 channels (Red, Green, Blue, V +).







DC 12-24V Available



Flame Retardant Material

Classic PC material, high quality



Only 2xAAA Batteries Needed

