Data current as of: 20-04-2024 01:51

Link to the product: https://stair-lighting.com/coupler-t135l-p-1504.html

Coupler T135L

Price	**30.01 Euro**
Availability	**Availability - 3 days**
Shipping time	**3 days**
Number	**1503**
Manufacturer	**KLUS**

Product description

Application:

ZM-GOT couplers are assembled short sections of profiles in the specified shapes. Couplers are used to build linear fixtures composed of different multi angle systems from 90 to 135 degree angles. Covers associated with the ZM-GOT couplers extend out 40 mm past the coupler to help stabilize the connection to the extrusion. The ZM-GOT couplers connect to the extrusions with the help of the ZM-180 connectors.

Advantages:

Simplifies and quickens mounting of the chosen aluminum profiles, in unconventional, multi angle systems. The coupler allows you to obtain a uniform line of light.

ZM-GOT
kształtki do budowania liniowych opraw
komponowanych w wielokątne układy
ZM-GOT
couplers to build linear fixtures
composed into multi angle patterns

L90 REF. 42740

L90PZ REF. 42741

L90PW REF. 42742

L135 REF. 42745

L135PZ REF. 42743

L135PW REF. 42744

T90 REF. 42748

T135L REF. 42747

T135R REF. 42746

X90 REF. 42749

X135 REF. 42750

Uprzejmie informujemy o zastrzeżeniu sobie prawa do zmian asortymentowych i modyfikacji produktów

ZM-GOT

PL

Przeznaczenie:

Kształtki ZM-GOT to zmontowane krótkie odcinki profili w określone kształty. Służą do budowania liniowych opraw komponowanych w różne, wielokątne układy o kątach od 90 do 135 stopni. Osłonki należące do kształtek ZM-GOT wystają poza nie o 40 mm. Styk aluminiowego profilu i osłonki nie pokrywa się. Mijanie tych elementów służy lepszej ich stabilizacji w miejscu łączenia. Kształtki ZM-GOT z profilem aluminiowym łączy się za pomocą łączników ZM-180.

Zalety:

Kształtki ułatwiają i przyśpieszają montaż wybranych aluminiowych profili w niekonwencjonalnych, wielokątnych układach. Na łączeniach pozwalają uzyskiwać nieprzerwaną linię światła.

EN

Application:

ZM-GOT couplers are assembled short sections of profiles in the specified shapes. Couplers are used to build linear fixtures composed of different multi angle systems from 90 to 135 degree angles. Covers associated with the ZM-GOT couplers extend out 40 mm past the coupler to help stabilize the connection to the extrusion. The ZM-GOT couplers connect to the extrusions with the help of the ZM-180 connectors.

Advantages:

Simplifies and quickens mounting of the chosen aluminum profiles, in unconventional, multi angle systems. The coupler allows you to obtain a uniform line of light.



/ We reserve the right to change and modify our products

ZM-GOT

PL

Grupy kształtów:
- kształty kątowe
- kształty krzyżowe

Konstrukcja:
Kształtki mogą być zbudowane na bazie jednego z pięciu profili oraz jednej z czterech osłonek.

Profile do wyboru: LIPOD, LOKOM, LESTO, LARKO, GIZA

Osłonki do wyboru: HS 22 mleczna, HS 22 przeźroczysta, LIGER 22, MUN 22

EN

Coupler groups:
- angled couplers
- intersect couplers

Construction:
Couplers can be made using one the five profiles and one of four covers.

Profiles to choose from: LIPOD, LOKOM, LESTO, LARKO, GIZA

Covers to choose from: HS 22 mleczna, HS 22 przeźroczysta, LIGER 22, MUN 22

Łączniki / Connectors:

ZMPION-90 REF. 42718

ZMPION- 135 REF. 42719

ZM-90 REF. 42716

ZM-180 REF. 42717

ZM- 135 REF. 42720

Profile / Profiles:

LIPOD REF. 85554

LOKOM REF. 85553

LESTO REF. 85551

LARKO REF. 85552

GIZA REF. 85556

Osłonki / Covers:

HS 22 mleczna REF. 17011

HS 22 przeźr. REF. 17022

LIGER 22 REF. 17032

MUN 22 REF. 17042



L90
REF. 42740



L90PZ
REF. 42741



L90PW
REF. 42742

L135PZ
REF. 42743



L135PW
REF. 42744



L135
REF. 42745



T135L
REF. 42747



T135R
REF. 42746



T90
REF. 42748



X90
REF. 42749



X135
REF. 42750