

Link to the product: <https://stair-lighting.com/dmx-512-d5-w72-wall-washer-light-p-2636.html> LEADER OF SMART LIFE

## DMX 512 D5-W72 Wall Washer Light

Price	<b>387.81 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>14 days</b>
Number	<b>2636</b>
Manufacturer	<b>Mi.Light</b>



### Product description

- **Product Name: 72W RGB+CCT LED Wall Washer Light ( DMX512 & RDM )**
- Model No.: D5-W72
- Input Voltage: AC100~240V 50/60Hz
- Power: 72W
- Working Temp.: -20~45°C
- Color Temp.: 2700~6500K
- CRI: >80
- PF: >0.9
- Beam Angle: 15\*60°
- Occupy 5 DMX Address
- Luminous Flux: R:280LM G:540LM B:150LM CW:1800LM WW:1650LM
-

## 72W RGB+CCT LED Wall Washer Light (DMX512&RDM)

Support RDM function | Optional dimming curve | IP66 Waterproof rate






## Accord with DMX512 standard protocol Support RDM function

Comply with DMX512, DMX512 (1990), DMX512-A, RDM V1.0  
(E1.20-2006 ESTA standard) International standard agreement




## 2 Dimming curves optional

Logarithmic dimming



Linear dimming



Change RGB+CCT colors freely  
to make smart lighting atmosphere



**IP66 Waterproof rate**

Excellent waterproofness make the usage more safe






## Simple and fast operation

Digital display, set DMX start address through button



## Rotatable bracket for easy installation

180° rotatable bracket; Adjustable randomly; Easy adjust the beam angle





## High lumen LED chips

Low power consumption and  
luminance decrease;  
Bright color and  
high brightness



## Optical lens

High lighting transmitting rate;  
Wide beam angle and  
long illumination distance

## Stalinite cover

Strong hardness; Cold-resistant  
and heat-resistant



## Aluminum Alloy housing fast heat dissipation


High quality Aluminum housing;  
Strong hardness, anti-corrosion







## Connection Diagram



**Attention:** If more than 32 pcs DMX wall washer lights are connected or using the super long signal cable, you need DMX signal amplifier. Amplify signal cannot be over 5 times.

