

Link to the product: <https://stair-lighting.com/downlight-led-5w-3000k-warm-white-white-housing-p-682.html>



## DOWNLIGHT LED 5W - 3000K - warm white - white housing

Price	<b>13.04 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>4 days</b>
Number	<b>682</b>
Manufacturer	<b>SMART</b>

### Product description

#### Features:

Rated voltage: 100-240V ~ 50/60Hz

Power: 5W

Lifespan: 30,000 h

Colour: warm / natural white

IP20

Color Rendering Index:> 75

Power factor:> 0.8

Operating temperature: -20 ° C ~ 40 ° C

Max. case temperature <60 ° C

Body color: white / silver

Housing: Aluminum Alloy

Hole Diameter: Ø90mm

# ŻARÓWKI LED

## DOWNLIGHT LED 5W



Napięcie znamionowe: 100-240V ~ 50/60Hz  
 Temperatura barwowa: 3000K / 4000K  
 Żywotność: 30000h  
 Barwa: ciepły biały / naturalny biały

Stopień ochrony: IP20  
 Współczynnik oddania barw: >75  
 Współczynnik mocy: >0.8  
 Temperatura pracy: -20°C ~ +40°C  
 Maks. temp. obudowy: <60°C  
 Kolor obudowy: biały / srebrny  
 Średnica otworu montażowego: Ø90mm


### Budowa

Obudowa: Stop aluminium



Moc	Barwa	Temperatura barwowa (K)	Strumień świetlny (lm)	Skuteczność świetlna (lm/W)	Kąt świecenia	Kolor obudowy	
5W	ciepły biały	3000	340	68	szeroki rozproszony	biały	5903263463801
						srebrny	5903263463740
	naturalny biały	4000	360	72		biały	5903263463863
						srebrny	5903263462255

### Wymiary



Nazwa	Moc	A	B	C	D
DOWNLIGHT LED LIGHTTECH ECO	5W	111.2 mm	74.4 mm	45.6 mm	23 mm

