

Link to the product: <https://stair-lighting.com/downlight-led-5w-4000k-neutral-white-housing-p-684.html>

DOWNLIGHT LED 5W - 4000K - neutral - white housing

Price	13.04 Euro
Availability	Goods are unavailable
Shipping time	4 days
Number	684
Manufacturer	SMART

Product description

Features:

Rated voltage: 100-240V ~ 50/60Hz

Power: 5W

Lifespan: 30,000 h

Colour: warm / natural white

IP20

Color Rendering Index:> 75

Power factor:> 0.8

Operating temperature: -20 ° C ~ 40 ° C

Max. case temperature <60 ° C

Body color: white / silver

Housing: Aluminum Alloy

Hole Diameter: Ø90mm

ŻARÓWKI LED

DOWNLIGHT LED 5W



Napięcie znamionowe: 100-240V ~ 50/60Hz
 Temperatura barwowa: 3000K / 4000K
 Żywotność: 30000h
 Barwa: ciepły biały / naturalny biały

Stopień ochrony: IP20
 Współczynnik oddania barw: >75
 Współczynnik mocy: >0.8
 Temperatura pracy: -20°C ~ +40°C
 Maks. temp. obudowy: <60°C
 Kolor obudowy: biały / srebrny
 Średnica otworu montażowego: Ø90mm


Budowa

Obudowa: Stop aluminium



Moc	Barwa	Temperatura barwowa (K)	Strumień świetlny (lm)	Skuteczność świetlna (lm/W)	Kąt świecenia	Kolor obudowy	
5W	ciepły biały	3000	340	68	szeroki rozproszony	biały	5903263463801
						srebrny	5903263463740
	naturalny biały	4000	360	72		biały	5903263463863
						srebrny	5903263462255

Wymiary



Nazwa	Moc	A	B	C	D
DOWNLIGHT LED LIGHTTECH ECO	5W	111.2 mm	74.4 mm	45.6 mm	23 mm

