

Link to the product: <https://stair-lighting.com/duo-salsa-short-p-1602.html>

## Duo Salsa Short

Price	<b>41.94 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>5 days</b>
Number	<b>1602</b>
Manufacturer	<b>SKOFF</b>

### Product description

DUO SALSA SKOFF is one of a collection of the Music Line. It includes LED luminaires within the category of architectural lighting designed for interior use. It pursues several goals. Safety - when it is not used for other source of light in the room can be safely moved. On the other hand, it eliminates the so-called. glare, annoying to the eyes when the light is not evenly distributed or has a bad technical parameters. Decorative - you can create light illuminations highlighting the interior and decide on the prevailing atmosphere when it is turned on. Versatility - to use for business in a private home or in public buildings.

SALSA SHORT DUO is a luminaire that uses technology desklight hidden in two modules, directed in opposite directions. Both are not built only on one side, leading to higher concentration of light, a characteristic streak and improved playability light-shadow while arranging the interior. This effect is called the shining curtain.

The aim of framing is possible to install the light source. In this case, a hole or a tin-electric installation with a diameter of 6 cm. Then the dull-brass fitting allows permanent connection of the led-module to the electrical system. LEDs mounted in the luminaire has a shelf life of 50 thousand. hours. Although it is non-exchangeable, the device has a 2 year warranty and power consumption 1,6W. Thanks to this investment returns in the first few months. The dimensions of the device is 11,3cm x 7,3cm allow even illumination of wall cavities.

LED lighting fixture designed to illuminate routes.  
benefits:

The effect of light curtain

Long life - 50 000 hours

Very low energy consumption

solid construction

Material: Stainless steel or aluminum

Application:

Highlighting routes

stairs

Furniture site

Decorating the walls with light

Technical data

Supply voltage: 10 V DC

Light source: non-exchangeable LED module

Color temperature:

3500-4000 K (WW warm white)

5000-7000 K (W cool white)

Luminous flux [lm]:

Luminous efficacy [lm / W]:

Mounting:

canned electro-installation Ø60

in the hole Ø60

The degree of protection IP 56

Type of connection: Parallel

Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16

trade data

Weight of the device: ...

Device dimensions: 113 x 73 mm

Warranty Period: 24 months





