

Link to the product: <https://stair-lighting.com/end-cap-to-krav-810-led-profiles-p-2010.html>

## End cap to KRAV-810 led profiles



Price	<b>2.33 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>5 days</b>
Number	<b>2010</b>
Manufacturer	<b>KLUS</b>

### Product description

Price for the same profile without additional accessories.

KRAV extrusions are not construction extrusions!

They are designated exclusively to illuminate glass or acrylic. Therefore, assembly, suspension, or other technical activities related to the panels should be performed using standard elements. KRAV 56 extrusion is dedicated to illuminate the edge of glass or acrylic, thickness of 5mm to 6mm. The advantages of the extrusion are: ability to adjust to the thickness of glass/acrylic; easy mounting of LED Tape and a solid, strong grip of the edge of glass/acrylic. Complete KRAV 56 extrusion consists of 2 extrusions: KRAV-D56 dedicated for mounting LED strip up to 6mm wide and KRAV-Z56 extrusion – the closing extrusion. Additionally the extrusions are equipped with mounting adhesive tape and a silicone strip that assures a solid connection of the two extrusions. KRAV 56 end caps consist of two overlapping parts that are assembled individually into the KRAV-D56 extrusion and KRAV-Z56. This type of end cap construction enables to hide the gap that is created when thicker glass is assembled into the extrusion. End caps can be mounted before or after the glass is inserted into the extrusion. This activity needs to be performed with care to avoid damaging the delicate grips of the end caps. KRAV-Z56 needs to be inserted into KRAV-D56 starting from one of the ends (not putting them in parallel and inserting the whole length). Before inserting KRAV-Z56 it is recommended to apply liquid soap, (or another liquid) on the mounting strip to enable smooth assembly of the extrusion. CAUTION! Disassembly of KRAV 56 can damage the extrusions. In order to make the disassembly easier it is also possible to glue to the glass/acrylic only KRAV-D56 and mount KRAV-Z56 without removing the layer of adhesive.





