

Link to the product: <https://stair-lighting.com/futt08-floodlight-miboxer-200w-rgbcct-led-p-2657.html>

## FUTT08 Floodlight MiBoxer - 200W RGB+CCT LED

Price	<b>618.33 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>14 days</b>
Number	<b>2657</b>
Manufacturer	<b>Mi.Light</b>

### Product description

**Product Name: 200W RGB+CCT LED Floodlight**

Model No.: FUTT08

Power: 200W

Input Voltage: AC100~240V 50/60Hz

Working Temperature: -20-45°C

Color Temperature: 2700K~6500K

Luminous Flux: 17000LM

Luminous Efficiency: 85LM/W

Standby Power Consumption: 0.96W

CRI: &gt;80

PF: &gt;0.95

Lifespan: 50000 hours

Beam Angle: 160°

IP Rate: IP65


RF: 2.4GHz

Transmitting power: 6dBm

Control Distance: 30m

## IP65 Waterproof

Professional waterproof technology,  
high performance waterproof



## Brightness dimming

0.1% brightness dimming precision, make the light more soft  
and smooth, give the light you want



# 200W RGB+CCT LED Floodlight

2.4GHz Remote control & APP control, Support Third Party Voice Control



16 million  
colors to change



Color temperature  
2700~6500K



Dimmable &  
Saturation control



Signal transmitting &  
Modes synchronization



## 2.4GHz Remote control Smart phone APP control

2.4GHz remote control, Smart phone APP control, enjoy the convenient life bring by technology.  
(\* Need 2.4GHz Gateway(WL-Box1) for smartphone APP control )



Compatible with





# Support Third Party Voice Control

It need 2.4GHz gateway(WL-Box1) for third party voice control




## 16 Million colors / Saturation control



## Adjust warm white to cool white randomly

Adjust the cool temperature from 2700~6500K, make the light you want




## Signal transmitting

One lighting fixture can transmit the signals from the remote control to another lighting fixture within 30m, as long as there is a lighting fixture within 30m, the remote control distance can be limitless.

## Modes synchronization

Different lighting fixture can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.





## High lumen LED Chips

Low power consumption  
and luminance decrease;  
Bright color and high brightness

## High efficiency heat dissipation

Integrative Aluminum design; Inserted  
thermal conduction, Protect light  
source lifespan





## Waterproof plug

Copper nickel plating material  
Waterproof and dustproof, never rusting

