

Link to the product: <https://stair-lighting.com/fut063-6w-rgbccct-waterproof-led-downlight-miboxer-p-2646.html>



## FUT063 6W RGB+CCT Waterproof LED Downlight - MiBOXER

Price	<b>45.51 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>4 days</b>
Number	<b>2646</b>
Manufacturer	<b>Mi.Light</b>

### Product description

- **Product Name: 6W RGB+CCT Waterproof LED Downlight**
- Model No.: FUT063
- Power: 6W
- Input Voltage: AC100~240V 50/60Hz
- Color Temperature: 2700K~6500K
- Luminous Flux: 500LM
- Light Efficiency: 80LM/W
- CRI: >80
- PF: >0.5
- Lifespan: 50000 hours
- Beam Angle: 120°
- RF: 2.4GHz
- Control Distance: 30m
- Hole Size: ø100mm
- Material: Aluminum

## 6W RGB + CCT LED Waterproof Downlight

Waterproof&moisture-proof, 2.4GHz remote control, 16million colors  
Brightness&CCT adjust, Auto-sync and auto-transmitting  
function make the control distance limitless



16 Millions of  
colors to choose



Color temperature  
2700~6500K



Dimmable  
Saturation control




Support third party  
voice control




Signal transmitting &  
Modes synchronization





Hole Size:  $\varnothing 100\text{mm}$



## IP54 Waterproof


Waterproof and moisture-proof; working more safe



## 2.4GHz remote control

The lamp can be controlled by 2.4GHz remote control, the control distance is up to 30 meters

compatible with




## Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control



## Signal transmitting

One Downlight can transmit the signals from the remote control to another Downlight within 30m, as long as there is a Downlight within 30m, the remote control distance can be limitless.



## Modes synchronization

Different Downlight can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.

## 16million colors | Saturation control

16millions color change and color saturation control, easily make the light atmosphere you want




## Adjust warm white to cool white randomly

Adjust the color temperature from 2700K-6500K, make the light you want



## Brightness adjustable

Adjust the brightness according to your need





## [ **Product details** ]

### High light transmitting cover

High light transmitting rate; More bright and soft light



### Stainless steel spring clip

Strong spring clip make the installation more stable



Strong spring clip  
more stable



## Whole die-casting Aluminum Housing

Precision Aluminum, anti-corrosion and fast heat dissipation



## Constant current&Voltage driver

Constant current & Voltage driver; Stable Current and Voltage;  
improve the lifespan of the lights

