

Link to the product: <https://stair-lighting.com/fut071-12w-anti-glare-rgbccct-led-downlight-miboxer-p-2649.html>



## FUT071 12W Anti-glare RGB+CCT LED Downlight Miboxer

Price	<b>47.73 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>14 days</b>
Number	<b>2649</b>
Manufacturer	<b>Mi.Light</b>

### Product description

- **Product Name: 12W Anti-glare RGB+CCT LED Downlight**
- Model No.: FUT071
- Power: 12W
- Input Voltage: AC100~240V 50/60Hz
- Color Temperature: 2700K~6500K
- Luminous Flux: 800LM
- CRI:>80
- PF: >0.5
- Lifespan: 50000 hours
- Beam Angle: 60°
- Control Distance□30m
-

## 12W Anti-glare RGB+CCT LED Downlight

Anti-glare designing; 2.4G RF remote controller, 16 million color change; Saturation, color temperature and brightness adjustable; Auto-sync and auto-transmitting function make the control distance limitless



16 Millions of  
colors to choose



Color temperature  
2700~6500K



Dimmable  
Saturation control






Support third party  
voice control



Signal transmitting &  
Modes synchronization










## 2.4GHz RF Remote Control


Controlled by 2.4GHz remote, control distance is 30M

Compatible with





FUT089 FUT088 FUT092 FUT096 B8 B4/T4 B3/T3 B0 WL-Box1

## Support Smart phone APP control and third party voice control

It need 2.4GHz gateway(WL-Box1) for smart phone control or third party voice control





## 16 million color change freely

Make the lighting atmosphere you want easily  
satisfy your more using requirements



## Warm white to cool white adjustable freely stepless brightness dimming

Color temperature: 2700K~6500K, steplessly adjust the lamp brightness  
Soft and delicate light satisfy different lighting requirements



## Deeply anti-glare design

Refraction material and deepened cover prevent glare effectively and offer you healthy ambient light



Anti-glare range  
(shielding angle)  $>30^\circ$




## Signal Transmitting

One Downlight can transmit the signals from the remote control to another downlight within 30m, as long as there is a downlight within 30m, the remote control distance can be limitless.

## Modes Synchronization

Different downlight can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.




## Constant Current & Voltage Driver

Constant current & Voltage driver; Stable Current and Voltage  
improve the lifespan of the lights



Spring Clip











This product has additional options:

**Light color - MILIGHT:** RGB + WW , RGB + CW , CW/WW