

Link to the product: <https://stair-lighting.com/led-bulb-milight-wi-fi-e27-6w-pir-futp01-p-1707.html>



LED bulb MILIGHT - WI-FI E27 6W PIR - FUTP01

Price	17.85 Euro
Availability	Goods are unavailable
Shipping time	4 days
Number	1707
Manufacturer	Mi.Light

Product description

Multifunctional device acting as a controller, it allows you to control lighting via Wi-Fi in your home using devices operating on Android or IOS.

Router MI LIGHT allows you to connect to your home network so you do not need anymore to switch between wireless networks. MILIGHT Router also enables you to control light, even when you're away from home.

Wi-Fi router can be used to support all devices 2.4G smart lighting: incandescent RGB, RGBW, dimmable lighting etc. This simple device you can control your lighting using a smartphone based on iOS or Android, a new free application available on the AppStore or Google Play (MI.LIGHT).

Power: 6W
Voltage: AC86-265V / 50-60Hz
Kelvin: 2700-3200K / 6000-6500K
Luminous Flux: 450-470LM
Luminous Efficiency: 80LM/W
CRI: >80
Base Type: E26 / E27 / B22
Beam Angle: 180°
PF: >0.65
Material: Aluminum+PC
Control Distance: 30m
Sensing Distance: Max.8m
Size: Φ57*100mm
Application Areas: floors, garden, doors, balconys

MILIGHT bulbs are points of light can perform a variety of functions, including the main form interior lighting and decorations. Manufacturer deliberately created his light source so that you can use widely available in the lamps holes for screwing light bulbs - their handles are made in the most popular sizes.

Similarly constructed bulb is proposed on this site - the size of the cap is E27. A characteristic feature of the model is extended shade, resemblance to the shape of the stand. It is purposeful construction, because with this shape is improved in scattering of light.

Like most good lighting equipment using LED technology, too, and here durability is estimated at 50 thousand. hours, which in practice can mean up to 25 years of operation. The product fully recycled, mercury-free, energy-efficient.

Recommended for use wherever there will be no additional lighting installed, and when the light is to be directed at a specific point. Ideal for floor lamps, especially those with cover open up and down in order to fully utilize the increased diameter of the lens bulb. In the same way the light spot check in hanging lamps.

For Milight lamps may be grouped and it does not matter the number in the group. Assigns them to the controller using the remote control, just remove it. Group may be all the points the light in the room, only light at their desk, or just hanging lamp - there is full freedom.


PIR LED Bulb

The light turns on when people move within 8 meters from the switch , and goes off when people move out of the sensing zone.
The bulbs have the function of automatic signal transmitting, the bulbs can send each other signal within 30 meters, which makes the sensing distance limitless.






Installation



Application

2.4G Wireless control, No wiring

One switch can sense many lights at the same time
(Control Distance 30m, the sensing distance can reach 8 meters)




Automatic Commands Transmitting Function

Mi light PIR lighting series can send to each other the commands from the sensor switch, which makes the sensing distance limitless. (The signal transmitting distance from one light to another can reach 30 meters)


One switch can sense many lights

One switch can sense many lights at the same time



Many switches can sense the same light

One PIR bulb can be controlled no more than 20 sensor switches





Floors



Garden



Balconys



Doors

Applicable Areas



Efficient transmitting Cover

Imported PC lamp cover ,making the light transmission rate over 90%.



Standard Lamp Holder

Screw is made of stainless steel material
high strength hard support.

