

Link to the product: <https://stair-lighting.com/led-dimmer-rgb-cct-driver-fut039p-milight-for-rgb-cct-strips-20a-p-2846.html>



LED dimmer, RGB + CCT driver - FUT039P - MILIGHT for RGB + CCT strips - 20A

Price	25.61 Euro
Availability	Available
Shipping time	4 days
Number	2846
Manufacturer	Mi.Light

Product description

Product Parameters

Product Name: RGB+CCT LED Controller

Model No.: FUT039P

Input Voltage: DC12~36V

Output Current: 10A/Channel

Total Output: Max 20A

Working Temperature: -10~40°C

RF: 2.4GHz

Control Distance□30m

If you are looking for a product that will allow you to make your home much more modern, then reach for the offered LED dimmer, the RGB + CCT controller will be a bull's eye. The controller allows for remote lighting management and is adapted to popular multi-color tapes. The solution can perfectly match the expectations and meet the needs of all customers. The controller also connects to the smartphone application. Without having to get up from the couch, you will be able to change the color of the lighting or its intensity. We cordially invite you to reach for our high-quality product.

RGB+CCT LED Controller

2.4GHz Remote control, 16 Millions of colors to choose, Color temp. adjustable



20A

Total Output Current Max



Support PUSH dimmer

2.4GHz RF
Remote Controllable



16 Millions of
colors to choose



Saturation
control



Color temperature
adjustable



Stepless dimming
brightness



DMX512 Controllable
Need DMX512 LED transmitter



Frequency switched
High(8KHz) / Low(500Hz)

Compatible Remote



FUT089
FUT089-B



FUT088



FUT092
FUT092-B




FUT096
FUT096-B




WL-Box1




B8



B4 / B4-B
T4



B3 / B3-B
T3



B0




S2-W / S2-B
S2-G

Signal transmitting

One controller can transmit the signals from the remote control to another controller within 30m, as long as there is a controller within 30m, the remote control distance can be limitless.

Modes synchronization

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



Support smartphone app control and third party voice control

It need 2.4GHz gateway for smartphone control or third party voice control

