

Link to the product: <https://stair-lighting.com/led-dimmer-rgb-controller-fut037p-milight-for-rgb-strips-20a-p-2874.html>



## LED dimmer, RGB controller - FUT037P - MILIGHT for RGB strips - 20A

Price	<b>25.61 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>4 days</b>
Number	<b>2874</b>
Manufacturer	<b>Mi.Light</b>

### Product description

#### Product Description

- 2.4G RF Remote controllable
- 16 Millions of colors to choose
- Mix RGB light to adjust color temperature
- Brightness and saturation controllable
- Signal transmitting function make control distance limitless
- Support PWM high frequency (8KHz) / Low frequency (500Hz) switched

The proposed LED dimmer, RGB driver is a high-class product that allows you to remotely control strips that are able to emit light in various colors. The controller enables remote management of lighting and adjusting its intensity and color to specific needs. The device definitely increases the comfort of lighting management and makes it easy to adjust to your needs. Managing the light system in the apartment will be absolutely no problem and will be comfortable. Choose our product and create your own smart home.

# RGB LED Controller

2.4GHz Remote control, 16 Millions of colors to choose, Mix RGB light to adjust color temp.



# 20A

Total Output Current Max



Support PUSH dimmer

2.4GHz RF  
Remote Controllable



16 Millions of  
colors to choose



Saturation  
control



Mix RGB light to  
adjust color temp.



Stepless dimming  
brightness



Frequency switched  
High(8KHz) / Low(500Hz)

Compatible  
Remote



FUT089  
FUT089-B



FUT088



FUT092  
FUT092-B




WL-Box1



B8



B4 / B4-B  
T4



B0




S2-W / S2-B  
S2-G

## Signal transmitting

One controller can transmit the signals from the remote control to another controller within 30m, as long as there is a controller within 30m, the remote control distance can be limitless.

## Modes synchronization

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.



## Support smartphone app control and third party voice control

It need 2.4GHz gateway for smartphone control or third party voice control

