Data current as of: 26-04-2024 00:37

Link to the product: https://stair-lighting.com/led-luminaire-navi-aluminum-14v-p-1334.html

LED luminaire - NAVI - aluminum -14V

Price	**24.70 Euro**
Availability	**Available**
Shipping time	**10 days**
Number	**1334**
Manufacturer	**LEDIX**

Product description

In the world of intelligent lighting, having become increasingly important, we are looking for solutions formidable. We are aware that modernity requires the interior and the grounds outside the building, something that distinguished them.

NAVI LED luminaire differs from other collections by Zamel, a high degree of protection - IP56. This allows the installation of lighting on the outside, or in the bathroom, where often all the appliances operate in high humidity.

To the customer's choice remains light color and mounting method - a simple surface-mounted or in a can with a diameter of 6 cm. The light is 4 LED CREE estimated time of lighting up to 40 thousand. hours. Housing 7,3x7,3 cm square and thick max 1,55cm.

NAVI

- Invisible light emitting element
- High efficiency light fixtures
- Referring to the theme design wheels
- Version with an additional one-piece or decorative element base
- Enhanced functionality
- The availability of different versions of the body and the color of the emitted light

Montaż / Montage / Montáž / монтаж				
Zasilanie / Power supply Stromversorgung Napájecí Электропитание				
Pobór mocy Power consumption Stromverbrauch spotřeba energie потребляемая мощность	0,56 W	0,42 W	0,28 W	0,84 W
Barwa światła Light color Lichtfarbe barva světla светлый цвет				
Funkcjonalność Functionality Funktionalität Funkce функциональность	-			
Cechy Qualities Eigenschaften Vlastnosti свойства	– –			
Waga [g] Weight [g] Gewicht [g] Vaha [g] Macca [g]	129			


zamel


40,5
51
13,5
73
15,5
15,5
Ø60
15,5
Ø60
73
73
16
Ø60









This product has additional options:

Housing: Aluminum
Light color: Warm white , Cold white , Red , Blue , Green , RGB (+ 1.27 Euro)
Power supply: 14V
Montage: Surface-mounted , Flush-mounted