

Link to the product: https://stair-lighting.com/led-luminaire-rubi-stainless-steel-14v-p-1325.html



LED luminaire - RUBI - stainless steel -14V

Price	24.70 Euro
Availability	Available
Shipping time	10 days
Number	1325
Manufacturer	LEDIX

Product description

Round mounted in the housing color of stainless steel is one of the models of the series of intelligent LED lighting RUBI, brand Zamel. The diameter of the fixture is 7,3cm. It is built into the current stabilizer system four LEDs which light sources. As the only collection of all Zamel, housing RUBI shine through the holes in the frame - in this case - four. As a result, when the work light effect is even more special.

Technical parameters are the same for all standard versions of the luminaire RUBI - high IP56 protection class and III, which results in illumination even in areas exposed to rain. Surface mounting tape or glue mounting.

RUBI


- Invisible light emitting element
- High efficiency light fixtures
- Referring to the theme design wheels
- Version with an additional one-piece or decorative element base
- Enhanced functionality
- The availability of different versions of the body and the color of the emitted light




Montaż / Montage / Montáž / монтаж	$\bigcirc \emptyset$				
Zasilanie / Power supply Stromversorgung Napájecí Электропитание	14V				
Pobór mocy Power consumption Stromverbrauch spotřeba energie потребляемая мощность	0,56 W	0,42 W	0,28 W	0,84 W	
Barwa światła Light color Lichtfarbe barva světla светлый цвет	•	•	• • •	RGB PE	
Funkcjonalność Functionality Funktionalität Funkce функциональность					
Cechy Qualities Eigenschaften Vlastnosti свойства					
Waga [g] Weight [g] Gewicht [g] Vaha [g] Macca [g]			129		






















This product has additional options:

 $\label{lem:housing: Stal nierdzewna / stainless steel / Edelstahl \\ \textbf{Light color} : Warm white , Cold white , Red , Blue , Green , RGB (+ 1.27 Euro)$

Power supply: 14V

Montage: Surface-mounted , Flush-mounted