

Link to the product: https://stair-lighting.com/led-luminaire-timo-black-14v-p-2052.html



LED luminaire - TIMO - black -14V

Price	23.15 Euro
Availability	Available
Shipping time	10 days
Number	2052
Manufacturer	LEDIX

Product description

The luminaire using LED technology is one of the models Timo, from the company Zamel. Ideal for spot in the company of wooden patina furniture or on a wooden facade on the outside of the building. Formulated such arrangement due to patin color housing. The interior fittings are also noteworthy.

It contains high quality assets CREE LEDs and a system, which stabilizes them current. Is IP44 protected, meaning you can use this model in the apartment, as well as eg. On the wall near the terrace. Customers also pay attention to the easy installation of surface-mounted using tape or adhesive mounting and the possibility of creating a larger set lighting also attended by solar panels.

TIMO


- Luminous flux emitted by the fiber element
- Modern design based on the square
- Enhanced functionality
- Version with an additional one-piece or decorative element base
- The availability of different versions of the body and the color of the emitted light
- Increased exterior dimensions compared to the twin series of luminaires TICO




Montaż / Montage / Montáž / монтаж					
Zasilanie / Power supply Stromversorgung Napájecí Электропитание	14V				
Pobór mocy Power consumption Stromverbrauch spotřeba energie потребляемая мощность	0,56 W	0,42 W	0,28 W	0,84 W	
Barwa światła Light color Lichtfarbe barva světla светлый цвет	•	•		RGB P	
Funkcjonalność Functionality Funktionalität Funkce функциональность					
Cechy Qualities Eigenschaften Vlastnosti свойства		IP44			
Waga [g] Weight [g] Gewicht [g] Vaha [g] Macca [g]			75		



















This product has additional options:

 $\label{eq:housing: Czarny / Black / schwarz} \textbf{Light color}: \mbox{Warm white , Cold white , Red , Blue , Green , RGB (+ 1.27 Euro)}$

Power supply: 14V Montage: Surface-mounted , Flush-mounted