

Link to the product: https://stair-lighting.com/milight-24ghz-4-zoneled-rgbw-milight-fut038w-wifi-p-2852.html



HEOXER* LLASER

MiLight - 2.4GHz 4-ZoneLED RGBW MiLight -FUT038W - WiFi

Price	25.61 Euro
Availability	Available
Shipping time	4 days
Number	2852
Manufacturer	Mi.Light

Product description

Technical Parameters Controller

- Product Name: RGBW LED Controller(WiFi+2.4G)
- Model No.: FUT038W
- Working Voltage: DC12~24V
- Output: 6A/Channel
- Total Output: Max 12A
- WiFi Standard: IEEE 802.11b/g/n 2.4GHz
- Bluetooth Protocol: Bluetooth 4.2 (low power consumption)
- RF: 2.4GHz
- Remote Control Distance: 30m
- Working Temperature: -10~40°C









Dim brightness Adjust the brightness arbitrarily to meet your life needs




Smartphone App control

two-way (receiver & transmitter) data communication









Using WiFi+Bluetooth dual module design

- Enhance the distribution network experience
- Bluetooth distribution network adaptability is stronger
- · Significantly improve the distribution network success rate







Enjoy technical family to be super technical expert

Download and install the "MiBoxer Smart" APP Start your smart life












Tap-to-Run / Automation

support to set up ambience as you like, build smart life simply




Signal transmitting


One LED controller can transmit the signals from the remote control to another controller within 30m, as long as there is a LED controller within 30m, the remote control distance can be limitless.

Modes synchronization

Different controllers can work synchronously when they are started at different times, controlled by the same remote, under same dynamic mode and within 30m distance.







SET button

Ø ω

 $^{>}$ Ø

回诊

SET

short press one time: link/unlink with remote Long press 3 seconds: enter APP network distribution mode

