Data current as of: 29-03-2024 15:21

Link to the product:
https://stair-lighting.com/t1-miboxer-4-zone-brightness-dimming-smart-panel-remote-controller-p-1862.html



T1 - MiBoxer - 4-Zone Brightness Dimming Smart Panel Remote Controller

Price	**25.61 Euro**
Previous price	~~**46.31 Euro**~~
Availability	**Available**
Shipping time	**4 days**
Number	**1862**
Manufacturer	**Mi.Light**

Product description


MILIGHT - 4-Zone Brightness Dimming Smart Panel Remote Controller - T1 is a novelty on the market, which, however, is excellent. It is an instrument used to manage the lighting in the system Milight, namely intelligent lighting suitable for household and company.

Controller Milight is small in terms of the size of the device, which, however, has plenty of power to facilitate your daily life. It is well known that the use of LEDs is proposed saving both time and money. However, to fully comfortably use this solution, set to complete the touch control panel.


MILIGHT - 4-Zone Brightness Dimming Smart Panel Remote Controller - T1 is especially recommended model. It can act as a dimmer, but that does not stop its features. The controller has the ability to manage up to four separate zones, which you can also program additional points of light. Ability to add tapes or light bulbs for one pilot and use them separately, it is a great solution. Thanks to create a real light arrangement of its interior.

Luminous flux can decorate, for example, only selected parts or all of the interior. The controller can find their place near the bed. Making it easy evening you use the dimmer to arrange the proper mood. The control panel also works well mounted directly at the entrance to the house. As a result, once you set adequate lighting in all areas. It is up to you to decide how you will use all the capabilities of the system Milight.

Product Name: 4-Zone Brightness Dimming Smart
Panel Remote Controller
Model No.: T1
Working Temperature: -20 -60℃
Voltage: AC90~110V or AC180~240V
Transmission Frequency: 2400-2483.5MHz
Modulation Method: GFSK
Transmitting Power: 6dBm
Control Distance: 30m
Panel Size: 86*86mm


4-Zone Brightness Dimming
Smart Panel Remote Controller
2.4GHz wireless transmitting
4-zone individually control
Mi·Light
2.4G RF
ON
60S
OFF
1
2
3
4


2.4GHz wireless transmitting
4-zone individually control
Easy installation, safe and reliable
Mi·Light
2.4G RF
ON
60S
OFF
1
2
3
4


Simple but multi-functional
60S
Delay OFF
30m
Brightness Dimming
60S Delay OFF
2.4G
Distance remote control
Sensitive Touching
Scratch Resistance



4-zone individually control
Each zone control countless lamps or controllers
Mi·Light
2.4G RF
ON
60S
OFF
1
2
3
4
Bath room
Bed room
Sitting room
Balcony


Mi·Light
2.4G RF
ON
60S
OFF
1
2
3
4
2.4GHz wireless transmitting
Adopt 2.4GHz technology, 30m control distance

Compatible Single White series

Control all Mi-Light Single White LED bulbs,
Single White LED controllers







1~100% Brightness dimming


Dimming(1%~100%) the light randomly





Mi·Light
ON
OFF
Senstive touching
High precision Capacitive touch screen IC,
Touch Screen is very stable


High-end tempered glass panel
Scratching and crushing resistance


Mi·Light
ON
60S
OFF
Touching button with sound
When touching the button, LED indicating lamp will flash
once with different sound


Button Function Diagram
Mi·Light
Dimming slider
ALL ON
ON
60S
OFF
ALL OFF
Zone ON
Link/Unlink
Zone OFF
60S Delay OFF


86mm
3mm
86mm
48mm
33mm