

Link to the product: <https://stair-lighting.com/milight-4-zone-rgbccct-smart-panel-remote-controller-b4-p-1861.html>



## MILIGHT - 4-Zone RGB+CCT Smart Panel Remote Controller - B4

Price	<b>25.61 Euro</b>
Previous price	<b>46.31 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>4 days</b>
Number	<b>1861</b>
Manufacturer	<b>Mi.Light</b>



### Product description


Pilot MILIGHT - 4-Zone RGB + CCT Smart Panel Remote Controller - B4 has a very wide range of applications.

LED RGB lighting allows for great-looking colors of light. It's really varied color emitted by the LED, is responsible for the enormous success of this project. More and more people want to follow a fashionable trend, which is also the installation of intelligent lighting in your home. Many people while getting a well installation RGB LED strip. This is where the controller was created MILIGHT - 4-Zone RGB + CCT Smart Panel Remote Controller - B4. It allows you to change all light settings. The result is a stunning look and the ability to change color on request. It's a great solution.

Proposed in our shop control panel, the device of the XXI century. It's touch, so in an easy, friendly way to quickly change parameters. Its small size and nice, but not catching very eyes look even more suited to a modern interior. The operating range within WiFi installation is 30 meters. This inexpensive device which will facilitate daily life. We recommend it especially for entrepreneurs who want to enter into his office a little more modern and comfortable solutions. Milight system, which element is the 4-Zone RGB + CCT Smart Panel Remote Controller - B4, allows for large savings in electricity consumption. This solution is ecological and economical, suitable for the growing needs and business opportunities.

Product Name: 4-Zone RGB+CCT Smart Panel Remote Controller  
Model No.: B4  
Working Temperature: -20 -60°C  
Voltage: 3V(2\*AAA Battery)  
Transmission Frequency: 2400-2483.5MHz  
Modulation Method: GFSK  
Transmitting Power: 6dBm  
Control Distance: 30m  
Standby Power: 20uA  
Panel Size: 86\*86mm






**2.4GHz wireless transmitting  
30m control distance**

Free installation, no wiring, more convenient and smart

2.4G Distance remote control


**4-zone individually control**

Each zone control countless lamps or controllers



## Compatible RGB/RGBW/ RGB+CCT series


Control all Mi-Light LED bulbs, LED controllers






### Color temperature/ saturation adjust randomly

Adjust CCT under white light mode(2700-6500K);  
Change color saturation under color mode



## 9 color changing modes

9 color changing modes, choose the color atmospheres you want




## Sensitive touching


High precision Capacitive touch screen IC. Touch Screen is very stable

## High-end tempered glass panel

Tempered glass panel, scratching and crushing resistance







## Touching button with sound

When touching the button, LED indicating lamp will flash once with different sound

## Powered by AAA battery

Powered by 2\*AAA battery



## Button Function Diagram

