

Link to the product: <https://stair-lighting.com/milight-4-zone-rgb-rgbw-smart-panel-remote-controller-b3-p-1860.html>



MILIGHT - 4-Zone RGB/RGBW Smart Panel Remote Controller - B3

Price	25.61 Euro
Previous price	46.31 Euro
Availability	Available
Shipping time	4 days
Number	1860
Manufacturer	Mi.Light

Product description


MILIGHT - 4-Zone RGB / RGBW Smart Panel Remote Controller - B3 is a remote control that allows you to control the system Milight throughout the house. Due to the transmission frequency of 2.4 GHz, the pilot has the features of low electricity consumption, long range, and the ability to counteract any disturbances.


Sam looks remote control is very aesthetic. Is a trendy gadget that will become a great addition to your house or apartment decorated in a modern style. Dimming works on the principle of the touch panel so as to control the whole is quite intuitive. You decide how you will look in any room lighting. The controller has to apply to LED products 12-24V.

The controller is dedicated to the LEDs, which have the ability to change the color of its light (RGB / RGBW). It is remote to quickly and easily change the color of the emitted to further emphasize the mood and decor of the room. Red, select, if you care for a romantic atmosphere, while for example the blue excels in the organization of the evening reception.

Having this type of controller allows you to manage four separate zones. You have to add additional points of light, and thus gain power over all light sources in the room. You decide that the LEDs are switched on at any given time, and so every time you can achieve a different effect. The use of this type of lighting, and the control panel is in line with the latest trends in interior design. Thanks to your electricity bill will be in line with real demand.


Product Name: 4-Zone RGB/RGBW Smart Panel
Remote Controller
Model No.: B3
Working Temperature: -20 -60°C
Voltage: 3V(2*AAA Battery)
Transmission Frequency: 2400-2483.5MHz
Modulation Method: GFSK
Transmitting Power: 6dBm
Control Distance: 30m
Standby Power: 20uA
Panel Size: 86*86mm





2.4GHz wireless transmitting 30m control distance

Free installation, no wiring, more convenient and smart




4-zone individually control


Each zone control countless lamps or controllers



Compatible RGB/ RGBW series

Control all Mi-Light RGB/RGBW LED bulbs,
RGB/RGBW LED controllers





Sensitive touching

High precision Capacitive touch screen IC. Touch Screen is very stable




High-end tempered glass panel


Tempered glass panel, scratching and crushing resistance



Touching button with sound

When touching the button, LED indicating lamp will flash once with different sound





Button Function Diagram

