

Link to the product: https://stair-lighting.com/power-supply-voltage-hlg-240-p-241.html



Power supply voltage HLG-240

Price	115.38 Euro
Availability	On order
Number	241
Manufacturer	MEAN WELL

Product description

Power packs of HLG series are intended outdoor LED applications. about the step IP 65 \sim IP 67 protections have the metal casing. They are equipped with the active PFC filter, they are meeting the sternest EMC norms. the HLG- Model of 240 H is distinguishing the increased scope of input voltages from the HLG- 240 version 90 \sim 305 VAC - marking with letter H in the name. Merlon - IP 67, potentiometers are missing to the regulation of the tension and the output current.

And - IP 65, 2 available potentiometers built in from the outside to the regulation of the tension and the output current in the scope c 50 \sim 100 % In B - IP 67, potentiometers are missing to the regulation of the tension and the electricity, additional pair of wires for connecting the resistor from 51 Ω to 1.8k Ω (different values for tension various versions - details in the specification) of current corresponding to the restriction in the scope from 50 \sim 100 % In (leaving the pair of wires obtuse is tantamount to placing max.. of power-driven productivity of the power pack in the scope a little bit above 100 % In. Clenching these ducts is tantamount to limiting the power-driven productivity to a little bit below 50 % In. ATTENTION! The HLG- power pack of 240 H doesn't have the possibility of connecting the outside dimmer (tension signal 1 \sim 10 VDC or PWM), unlike remaining models from HLG series.

C - IP 65, 2 available potentiometers built in from the outside to the regulation of the tension and the output current in the scope c 50 \sim 100 % In, any wires are missing on the entry and the exit of the power pack, screw clamps are in their place