

Link to the product: <https://stair-lighting.com/profiel-led-pds-ust-p-2606.html>

## Profiel LED PDS-UST

Price	<b>9.20 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>5 days</b>
Number	<b>2606</b>
Manufacturer	<b>KLUS</b>

### Product description

#### Important Information

The purchase a piece in the store means the purchase 1 linear meter of the profile or cover

If you want to buy a profile that has a length of 2 meters you have to buy 2 pieces, 3 meters you have to buy 3 pieces, and the multitude of quantity when ordering.

The total length of the aluminum profile or the panel to the profile - is the total quantity of the piece number that was bought in the store.

The choice of the appropriate shipping method will take place at the end of the order process.

[The details of the shipping method and packaging of the aluminum profiles you will find here \(click in the link\)](#)

Price for 1 meter length profile - no cover and end caps.

The product you have selected contains only - aluminum profile - does not include the accessories located in the Accessories tab.

Additional accessories like covers, end caps, electricity conductive end cap, mounting bracket, fasteners, mounting springs, proximity switch, micro switch, mounting system and others are available under "Accessories".

If you are interested in longer lengths than one meter, write to us we will quote the delivery cost to you. Transport companies expect additional charges for long shipments.

For each country is different maximum length of the profile that we can send. It does not depend on us only by courier.

We also do service cutting aluminum profiles to the indicated size - write or call get comprehensive information.

- Narrow line of light flush with the surface
- Designed for 16 mm thick drywall
- The lighting fixture can go from a built-in one into a suspended one
- Quick installation of LED tapes from the 8-KLIK series
- Invisible aluminum elements

#### Application

- for creating narrow linear or polygonal fixtures built into drywall.

#### Assembly

- bolted to drywall.

#### Additional information

- the line of light can be obtained with a cover and a LED tape with at least 120 LEDs per meter,
- PDS-UST profile is intended for one 14 mm wide LED tape,
- the cover is cut to the length of the profile,

- can be connected into strings using ZM connectors,
- transition from a built-in lighting fixture into a suspended one made with the PDS-ZM-PLUS profile,
- TECH-22 protective insert can be used to protect the inside of the profile from contamination during assembly.

















