

Link to the product: https://stair-lighting.com/profile-led-atra-p-1930.html



Profile LED ATRA

Price	25.81 Euro
Availability	Available
Shipping time	4 days
Number	1930
Manufacturer	KLUS

Product description

Important Information

The purchase a piece in the store means the purchase 1 linear meter of the profile or cover

If you want to buy a profile that has a length of 2 meters you have to buy 2 pieces, 3 meters you have to buy 3 pieces, and the multitude of quantity when ordering.

The total length of the aluminum profile or the panel to the profile - is the total quantity of the piece number that was bought in the store.

The choice of the appropriate shipping method will take place at the end of the order process. The details of the shipping method and packaging of the aluminum profiles you will find here (click in the link)

Profile for the construction of wall fixtures (sconce fixtures), with an option of simultaneous up and down lighting. It has integrated functions: fitting of LEDs and protecting them with a cover (diffuser), surface mounting, as well as an option of installation of power supply and other electronic components, profiles length 100, 200 cm.

The product you have selected contains only - aluminum profile - does not include the accessories located in the Accessories tab.

Additional accessories like covers, end caps, electricity conductive end cap, mounting bracket, fasteners, mounting springs, proximity switch, micro switch, mounting system and others are available under "Accessories".

If you are interested in longer lengths than one meter, write to us we will quote the delivery cost to you. Transport companies expect additional charges for long shipments.

For each country is different maximum length of the profile that we can send. It does not depend on us only by courier. We also do service cutting aluminum profiles to the indicated size - write or call get comprehensive information.



Profile z komorą na zasilacz / Profile mit Raum für Netzgeräte

ATRA

REF. B7454



1.72" 45mm

1:2



Powiększa gamę walorów estetycznych oprawy. Możliwość wykończenia w taki sposób, aby imitowała powierzchnię ściany.

PRZEZNACZENIE PRODUKTU:

przesłonięcie źródła światła.

MONTAŻ:

do profilu na specjalnych zaczepach i sprężynie BLOK.

DODATKOWE INFORMACJE:

konieczne frezowanie zaczepów w miejscu mocowania zaślepki.

Machen sie die Leuchte noch ansprechender. Finish ähnlich der Wandoberfläche.

ANWENDUNG

verdeckung der Lichtquelle

MONTAGE

auf dem Profil auf speziellen Befestigern, mit der Feder BLOK

ZUSÄTZLICHE INFORMATIONEN

Befestiger müssen an der Befestigungsstelle der Endkappe gefräst werden

profil / Profil

długość / Länge	wykończenie powierzchni / Oberfläche	numer artykułu / Artikelnummer
1 m		B7454ANODA_1
2 m	 Srebrny anodowany / Silber eloxiert 	B7454ANODA_2
3 m		B7454ANODA_3

akcesoria / Zubehör

sprężyny mocujące / Befestigungsfedern profil / Profil BLOK 42731 KIDES-DUO 18032








Extrusions with space for power supply / Perfiles con alojamiento para suministro de corriente

ATRA

REF. B7454







Makes the lighting fixture more appealing. Possible finish imitating the surface of the wall.

APPLICATION

- concealing the light source.

ASSEMBLY

- on special brackets and BLOK springs.

ADDITIONAL INFORMATION

- brackets must be milled where the end cap is mounted.

A

Hace el accesorio de iluminación más atractivo. Posible acabado imitando la superficie de la pared.

APLICACIÓN

- ocultación de la fuente de luz.

MONTAJE

- en soportes y muelles especiales.

INFORMACIÓN ADICIONAL

- los soportes se deben moler donde se monta la tapa de finale.

extrusion / perfil

length / longitud	surface finish / terminado de superficie	reference number / número de artículo
39.4" / 1 m		B7454ANODA_1
78.7" / 2 m	Silver anodized / Ánodo de plata	B7454ANODA_2
118" / 3 m		B7454ANODA_3

accessories / accesorios

mounting springs /		extrusions /	
resortes de montaje		perfiles	
BLOK	42731	KIDES-DUO	18032



228



- Makes the lighting fixture more appealing
- Possible finish imitating the surface of the wall

Application

- concealing the light source

Assembly


- on special brackets and BLOK springs

Additional information

- brackets must be milled where the end cap is mounted the ATRA profile is mounted in the KIDES-DUO profile with Blok springs. The Blok springs are not included you need to buy them separately



KIDES-DUO-KPL




262




KIDES-DUO-KPL











KIDES DUO KPL. + ATRA (Ref. B7454ANODA)



