

Link to the product: https://stair-lighting.com/salsa-mini-stick-short-p-1601.html



Salsa mini Stick Short

Price	16.21 Euro
Availability	Available
Shipping time	5 days
Number	1601
Manufacturer	SKOFF

Product description

SKOFF is a Polish company internationally successful in the field of architectural lighting. We pay special attention to its collection of luminaires with LED module prefilled. Simplicity and consistency in design and above all practicality, make the facilities meet the most sophisticated requirements.

Customers appreciate particularly low power consumption. For SALSA MINI SHORT STICK it is only 0,4W. The unit is part of the collection Music Line and exactly one luminaire SALSA STICK with reduced dimensions. The width and length is less than 1.3 cm and is - 6cm. All devices are inspired by the shape of the square and have rounded corners.

Type of products referred to as Short characterized by retracted in the housing LED module emitting light from one place, giving the effect of the so-called. Curtain.

Other product features include long life - 50 thousand. burning hours. Parallel connection. Degree of protection IP56 level, or LED module is protected against mechanical damage, water jet and dust. Proposed by the manufacturer, type of surface is matte brass fittings. The color of the emitted light is warm white color temperature of 3500-4000 K. The manufacturer gives a 2-year warranty.

Stick stands as a product of the easiest of the available ways to mount: with glue or double-sided tape. Thanks fulfills its functions in the corridors and stairwells. However, due to the fact that they do not have to install the unit in depth, perfectly functioning furniture in sites or small bays.

LED lighting fixture designed to illuminate routes.

benefits:

The effect of light curtain
Long life - 50 000 hours
Very low energy consumption
solid construction
Material: Stainless steel or aluminum
Application:
Highlighting routes
stairs
risers
Furniture site
Decorating the walls with light

Technical data

Supply voltage: 10 V DC

Light source: non-exchangeable LED module

Color temperature:

3500-4000 K (WW warm white) 5000-7000 K (W cool white) Luminous flux [lm]:

Luminous efficacy [lm / W]: Mounting: with adhesive tape or glue

The degree of protection IP 56
Type of connection: Parallel

Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16




trade data

Device dimensions: 60 x 60 mm Warranty Period: 24 months



















This product has additional options:

 $\textbf{Light color} \hbox{: Warm white , Cold white , blue , Green , Red} \\$