

Link to the product: <https://stair-lighting.com/salsa-short-p-1598.html>

Salsa Short

Price	24.06 Euro
Availability	Available
Shipping time	5 days
Number	1598
Manufacturer	SKOFF

Product description

Polish brand SKOFF. Besides, each family is distinguished by consistency in design, on which base designers. These devices are flat, which corresponds to modern trends. The products have several features in common. They are durable - LED module is estimated at 50 thousand. burning hours. They have a solid structure and consume very little energy, for example. SHORT presented here SALSA is power consumption - 0,8. They are covered by 2-year warranty.

SHORT luminaire family SALSA has been designed based on the shape of a square. Besides its characteristic feature is hidden LED module, which emits light only from one place, providing a distinctive type of light, called a curtain. The other side shields mounted on the surface in matt brass. The same light shines in the warm white color. The degree of protection is the same for each model SHORT and IP56. SHORT SALSA is a basic variant for mounting in a hole or a can with a diameter of 6cm. The device itself has a standard size 7,3x7,3 cm.

SKOFF prepared their proposals for architectural lighting to allow you to light the interior arrangements of business and private as well as public utilities. The aim is to highlight the brand architecture, interior space and ensuring the strength of light and the dispersal of light effect that builds the atmosphere and acting as obvious - visibility, in the absence surrounded by other light source.

LED lighting fixture designed to illuminate routes.
benefits:

The effect of light curtain

Long life - 50 000 hours

Very low energy consumption

solid construction

Material: Stainless steel or aluminum

Application:

Highlighting routes

stairs

risers

Furniture site

Decorating the walls with light

Technical data

Supply voltage: 10 V DC

Light source: non-exchangeable LED module

Color temperature:

3500-4000 K (WW warm white)

5000-7000 K (W cool white)

Luminous flux [lm]:

Mounting:

canned electro-installation Ø60

in the hole Ø60

The degree of protection IP 56


Type of connection: Parallel


Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16

trade data

Device dimensions: 73 x 73 mm

Warranty Period: 24 months





STANDARD
DUO

