

Link to the product: <https://stair-lighting.com/sys-rd1-milight-5w-rgbccct-led-underground-light-ip68-p-2315.html>

## SYS-RD1 - MILIGHT - 5W RGB+CCT LED Underground Light IP68

Price	<b>77.36 Euro</b>
Availability	<b>Available</b>
Shipping time	<b>14 days</b>
Number	<b>2315</b>
Manufacturer	<b>Mi.Light</b>

### Product description

Product Name: 5W RGB+CCT LED Underground Light  
(Subordinate Lamp)  
Model No.: SYS-RD1  
Input Voltage: DC24V  
Power: 5W  
Working Temperature: -20~60°C  
Color temperature: 2700~6500K  
Luminous Flux: 350LM  
Light Efficiency: 70LM/W  
CRI: >80  
Lifespan: 50000h  
Beam Angle: 30°  
IP Rate: IP68

## RGB+CCT LED Underground Light (Subordinate Lamp)

Connecting the "SYS-T1 Controller" or "SYS-PT1 Controller Box" to fulfill the wireless remote control; 16 million color change, color temperature, brightness and saturation adjustable randomly



16 million  
colors change



CCT  
Adjustable



Dimmable  
Saturation control



IP68  
waterproof rate

This product has to be connected to  
"SYS-T1 Controller" or "SYS-PT1 Controller Box"  
to fulfill the remote controlling



## Smart lifestyle with beauty

16 million colors change, saturation adjustable

Make smart lighting atmosphere meet all your requirement



## Brightness adjustable & Color temperature adjustable

Brightness adjustable, Adjust the color temperature from 2700-6500K,  
make the light you want





# IP68 Many steps waterproofing; waterproof rate IP68

Silicone rubber sealing make sure the excellent  
waterproofness and safety usage



## Stainless steel surface ring

High quality stainless steel materials;  
not easy to fade and sunproof




## High lumen LED Chips

High lumen LED chips; Low power  
consumption and luminance decrease;  
Bright color and high brightness



## Stalinite mask

Made of high quality stalinite, High hardness, nonbreakable and high light-transmittance



## Optical Lens

Anti-dazzling optical lens; diverging light scientifically. Symmetrical and bright light ray





## End cap screw

Stainless steel material,  
Waterproof and dustproof



## PC built-in fitting

Pressure and corrosion resistance,  
not easy to deformation; easy installation



## Integrated convection heat dissipation

Convection design, better heat dissipation, safe and stable



## Product accessories


Note: this pack products not include accessories,  
Please purchase separately if you require it



mini T 3-channel and 3-core waterproof connector(IP68)

## Connection Diagram

Note: The "SYS-T1 Controller and SYS-PT1 Controller Box" has to be purchased separately.



Note: When using "SYS-T1 controller or SYS-PT1 controller box", you need to add 'SYS-T2 1-channel signal amplifier or SYS-PT2 1-channel amplifier box' for below 3 situations.

1. Connecting over 50pcs lights.
2. Connected cable length over 300m.
3. Output power over (SYS-T1: 360W ) / ( SYS-PT1: 220W ).

