

Data current as of: 25-04-2024 09:56

Link to the product: https://stair-lighting.com/tango-max-p-1591.html



Tango Max

Price	37.59 Euro
Availability	Available
Shipping time	5 days
Number	1591
Manufacturer	SKOFF

Product description

Products TANGO is one of a family of LED luminaires developed under the Polish brand SKOFF. An interdisciplinary team stacked in its innovative product line Music Line several types of luminaires. One of them is a variant MAX and thus the extended geometrical shape in relation to the base of the device family.

TANGO MAX is a rectangle of aluminum surface. The emitted light can be color-white or warm white and mined partially visible LED module. Regardless of the degree of protection, power consumption set at 1,6W. Variants degree of protection are two: typically peaceful and a more advanced class IP20 and ensure the preservation of the LED module, eg. Against water jets - IP56. The device requires mounting by means of screws directly to the surface or by two cans having a diameter of 6 cm. By contrast, the dimensions of the luminaire itself is 14.3 x 7.3 cm.

Common features Music Line is also a footprint. The luminaires are very flat, which affects the way light scattering, but also does not interfere with the movement of the room or eliminate the unpleasant to the eye, so-called. the effect of glare.

That is non-exchangeable LED module, which in no way affects the lack of satisfaction with the product. On the contrary - a two-year warranty and 50 thousand. hours of energy-efficient lighting, which it is calculated, make a return on investment within a few months. At the same works in any interior, from the corridor, the bay and on the kitchen ending.

LED lighting fixture designed to illuminate routes

benefits: Long life - 50 000 hours Very low energy consumption robust construction Material: Aluminum Application: Highlighting routes stairs risers Furniture site Decorating the walls with light


data supply: 10 V DC Light source: non-exchangeable LED module Color temperature: 3500-4000 K (WW warm white) 5000-7000 K (W cool white) Luminous flux [Im]: (W cool white)) (WW warm white)

Mounting: by means of screws directly to the surface through the box 2 x Ø60 The degree of protection IP 20 / IP 56 Type of connection: Parallel Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16




trade data Device dimensions: 143 x 73 mm Warranty Period: 24 months









This product has additional options:

Light color: Warm white , Cold white Waterproof: IP20 , IP56 (+ 4.77 Euro)