

Link to the product: https://stair-lighting.com/tango-max-short-p-1592.html



## Tango Max Short

Price	41.27 Euro
Availability	Available
Shipping time	5 days
Number	1592
Manufacturer	SKOFF

## **Product description**

Products TANGO is one of a family of LED luminaires developed under the Polish brand SKOFF. An interdisciplinary team stacked in its innovative product line Music Line several types of luminaires. One of them is a variant MAX and thus the extended geometrical shape in relation to the base of the device family. Similarly SHORT member defines a specific feature - the LED module is completely hidden in the frame. The light is extracted from only one side, there is less scattered and is obtained in the so-called. Curtain lighting effect.

TANGO MAX is thus a rectangle of aluminum-colored surface. The emitted light has a color-white or warm white. The power consumption is 1,6W. The protection class is more advanced here and ensure the preservation of the LED module, eg. Against water jets, dust, sharp thin tool - IP56. The device requires mounting by means of screws directly to the surface or by two cans having a diameter of 6 cm. By contrast, the dimensions of the luminaire itself is 14.3 x 7.3 cm.

Common features Music Line is also a footprint. The luminaires are very flat, which affects the way light scattering, but also does not interfere with the movement of the room.

That is non-exchangeable LED module, which in no way affects the lack of satisfaction with the product. On the contrary - a two-year warranty and 50 thousand. hours of energy-efficient lighting, which it is calculated, make a return on investment within a few months.

LED lighting fixture designed to illuminate routes


benefits: Long life - 50 000 hours Very low energy consumption robust construction Material: Aluminum Application: Highlighting routes stairs risers Furniture site Decorating the walls with light


data supply: 10 V DC Light source: non-exchangeable LED module Color temperature: 3500-4000 K (WW warm white) 5000-7000 K (W cool white) Luminous flux [Im]: (W cool white)) (WW warm white)

Mounting: by means of screws directly to the surface through the box 2 x Ø60 The degree of protection IP 20 / IP 56 Type of connection: Parallel Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16




trade data Device dimensions: 143 x 73 mm Warranty Period: 24 months









## This product has additional options:

Light color: Warm white , Cold white