

Link to the product: <https://stair-lighting.com/tango-mini-stick-short-p-1589.html>

Tango mini Stick Short

Price	16.21 Euro
Availability	Available
Shipping time	5 days
Number	1589
Manufacturer	SKOFF

Product description

SKOFF is a Polish company internationally successful in the field of architectural lighting. We have paid particular attention to its collection of luminaires with LED module prefilled. Simplicity and consistency in design and above all practicality, make the facilities meet the most sophisticated requirements.

Customers appreciate particularly low power consumption. TANGO STICK for MINI SHORT it is just 0,3-0,5W. The unit is part of the collection Music Line and exactly one luminaire TANGO STICK with reduced dimensions. The width and length is - 6cm. All devices are inspired by the shape of a square.

Type of products referred to as Short characterized by retracted in the housing LED module emitting light from one place, giving the effect of the so-called. Curtain.

Other product features include long life - 50 thousand. burning hours. Parallel connection. Degree of protection IP56 level, or LED module is protected against mechanical damage, water jet and dust. Proposed by the manufacturer type mounting surface is aluminum. The color of the emitted light is warm white color temperature of 3500-4000 K. The manufacturer gives a 2-year warranty.

Stick stands as a product of the easiest of the available ways to mount: with glue or double-sided tape. Thanks fulfills its functions in passageways, at the stairs, but it works perfectly in the sites of furniture or small bays.

LED lighting fixture designed to illuminate routes.

benefits:

The effect of light curtain

Long life - 50 000 hours

Very low energy consumption

solid construction

Material: Stainless steel or aluminum

Application:

Highlighting routes

stairs

risers

Furniture site

Decorating the walls with light

Technical data

Supply voltage: 10 V DC

Light source: non-exchangeable LED module

Color temperature:

3500-4000 K (WW warm white)

5000-7000 K (W cool white)

Mounting: with adhesive tape or glue

The degree of protection IP 56


Type of connection: Parallel


Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16

trade data

Unit dimensions: 60 x 60 mm

Warranty Period: 24 months





This product has additional options:

Light color: Warm white , Cold white , blue , Green , Red