

Link to the product: <https://stair-lighting.com/tango-short-p-1586.html>


Tango Short

Price	24.06 Euro
Availability	Available
Shipping time	5 days
Number	1586
Manufacturer	SKOFF

Product description

Short Line Music is a collective term for a set of LED lighting devices produced by Polish brand SKOFF. Besides, each family is distinguished by consistency in design at which based their designers. These devices are flat, which corresponds to modern trends. The products have several features in common. Durability - LED module is estimated at 50 thousand. burning hours. They have a solid structure and consume very little power. SHORT TANGO has the power 0,6-1W. They are covered by 2-year warranty.

SHORT TANGO luminaire family has been designed based on the shape of a square. Besides its characteristic feature is the ability to create a light curtain. Tucked LED module emits light in one direction with a specific dispersed streaks. The other side shields mounted on the surface in aluminum or polished steel. The same light shines in the warm white color, white, green, blue or red. The degree of protection is the same for each model SHORT and IP56. SHORT TANGO is a basic variant for mounting in a hole or a can with a diameter of 6cm. The device itself has a standard size 7,3x7,3 cm.

SKOFF prepared their proposals for architectural lighting to allow you to light the interior arrangements of business and private as well as public utilities. The aim is to highlight the brand architecture, interior space and ensuring the strength of light and the dispersal of light effect that builds the atmosphere and eliminates glare.

LED lighting fixture designed to illuminate routes.

benefits:

The effect of light curtain

Long life - 50 000 hours

Very low energy consumption

solid construction

Material: Stainless steel or aluminum

Application:

Highlighting routes

stairs

risers

Furniture site

Decorating the walls with light

Technical data

Supply voltage: 10 V DC

Light source: non-exchangeable LED module

Color temperature:

3500-4000 K (WW warm white)

5000-7000 K (W cool white)

Luminous flux [lm]:

Luminous efficacy [lm / W]:

Mounting:

canned electro-installation Ø60

in the hole Ø60

The degree of protection IP 56

Type of connection: Parallel


Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16


trade data

Weight of the device: ...

Unit dimensions: 73 x 73 mm

Warranty Period: 24 months





This product has additional options:

Housing: INOX , Aluminum

Light color: Warm white , Cold white , blue , Green , Red