

Link to the product: <https://stair-lighting.com/tango-stick-short-p-1588.html>

Tango Stick Short

Price	23.22 Euro
Availability	Available
Shipping time	5 days
Number	1588
Manufacturer	SKOFF

Product description

TANGO is part of the family line of equipment Music Line, produced by Polish brand SKOFF. It is a kind of architectural lighting, allowing light arrangement of the interior, highlighting the advantages of the shape and design of the room. Characteristic for TANGO SHORT retracted in the casing LED module produces an interesting light effects. On the one hand, building a friendly atmosphere and on the other guarantees safety in moving up when not in use from another source. You can get the effect of light curtain.

Stick SHORT TANGO from their base luminaires different way of assembly. It is much less complicated. Just double-sided adhesive tape or glue. Thanks to the installation site properly knows no limitations, except that it must be in the interior. Degree of protection IP56 qualifies at setting up a space where you will take contact with streams of water. SKOFF proposed as a kind of dull brass surface. The dimensions of each variant fittings are standard for the collection and are for the length and width of 7.3 cm.

Said LED module is admittedly non-exchangeable, but its longevity lighting approx. 50 thousand. hours, 2-year warranty and low power consumption (0,6-1W) allow you to peacefully enjoy the illumination created for many years. The module emits light in one of the 4 colors: white, warm white, blue, green, red.

To sum up, LED lighting fixture presented on this site has a wide range of applications.
LED lighting fixture designed to illuminate routes.

benefits:

The effect of light curtain

Long life - 50 000 hours

Very low energy consumption

solid construction

Material: Stainless steel or aluminum

Technical data

Supply voltage: 10 V DC

Light source: non-exchangeable LED module

Color temperature:

3500-4000 K (WW warm white)

5000-7000 K (W cool white)

Mounting: with adhesive tape or glue

The degree of protection IP 56

Type of connection: Parallel


Recommended Power: ZOL6, ZOL7, ZOL15, ZOL16


trade data

Weight of the device: ...

Unit dimensions: 73 x 73 mm

Warranty Period: 24 months





This product has additional options:

Light color: Warm white , Cold white , blue , Green , Red