



Link to the product: https://stair-lighting.com/xtreamer-mc-pro-1-mk3-p-791.html



## Xtreamer - MC-PRO 1 MK3

Price	1 435.48 Euro
Availability	On order
Shipping time	10 days
Number	789
Manufacturer	NUCLEUS N-AUDIO

## **Product description**

## **SPECIFICATIONS MC-PRO 1 MK3**

All devices have a built-in XBMC Mediacenter and optimally configured based on LINUX!!

## SPECIFICATIONS MC-PRO 1 MK3

Construction

AMD E 350 dual-core processor integrated

Memory :: 8 GB DDR3 1066Mhz

Cover black or silver, quiet fan cooled 18db Connectivity located on the rear panel, main power switch on the front panel with LED signaling.

Disk SATA, 2TB hard drive installed (expandable)

Supported partitions: FAT 16/32, Ext2/Ext3/Ext4, NTFS (all in mode read and write)

Graphics ATI Radeon HD6310

Connectors

1x D-Sub (VGA)

1x DVI-D

1x eSATA III

1x HDMI 1x PS / 2 (keyboard / mouse)

1x RJ-45

1x S / PDIF Optical

6x USB 2.0

6x audio output 8-channel

Supported video formats NSV, TS, TY, STRM, RM, RMVB, IFO, MOV, QT, DivX, Xvid, BivX, VOB, PVA, WMV, ASF, ASX, OGM, M2V, AVI, DAT, MPG, MPEG, MP4, MKV, AVC, VP3, SVQ3, NUV, VIV, DV, FLI, 001, FLC

Supported video codecs, MPEG2, MPEG4, XVID, WMV9, VC1, H.264

Support 3D video YES

Supported formats (containers) audio M4A, FLAC, AAC, STRM, RM, MPA, WAV, WMA, Ogg, MP3, MP2, MOD, AMF, 669, DMF, DSM, FAR, GDM, IMF, IT, M15, MED, OKT, S3M, STM, SFX, ULT, UNI, XM, SID, AC3, DTS, AIF, APE, MAC, MPC, MP, MPP, SHN, WV Supported audio codecs Dolby Digital (AC3), Dolby Digital Plus (EAC3), Dolby TrueHD, DTS, DTS HD High Resolution Audio LOGGING, DTS HD Master AudioWSPMAGANE

Microsoft WMA, WMA Pro MPEG, LPCM, FLAC, multichannel FLAC, AAC

Ogg / Vorbis

Supported audio formats parameters to 192 kHz/24-bit

Processing Options Audio Realtek ® ALC892 7.1-channel High Definition Audio Codec

- Staff: detection plugins, multiple streams, change the destination socket on the front panel Audio Options:
- Optical S / PDIF out on back panel



- USB Audio DAC

Supported subtitle formats SRT, SUB, SSA / ASS, TXT Supported image formats JPEG, GIF, BMP, PNG Networking

Wi-Fi 802.11 a / b / g / n (OPTIONAL USB)

Network resources

- SAMBA
- UPnP / DLNA
- HTTP

Other software updates via the Internet.

StandBy mode with the option of disk activity and network services, and a full StandBy (stand)

External power supply 12V built-in device PICO PSU

Dimensions and weight 197  $\times$  197  $\times$  77mm (W x D x H)

approximately 2.5 kg

Set player, remote media, HDMI cable, mini jack cable 2xchinch, optical cable, LAN cable, AC adapter 12V

























